

Operator


Telephone

Fax e-Mail

RG-HB05-150WMACGD1-50K / Luminaire Data Sheet

Luminous emittance 1:

See our luminaire catalog for an image of the luminaire.



Luminaire classification according to CIE: 100
 CIE flux code: 49 81 96 100 100

Due to missing symmetry properties, no UGR table can be displayed for this luminaire.

Operator

Telephone

Fax e-Mail

RG-HB05-200WSACGD2-50K / Luminaire Data Sheet

Luminous emittance 1:




Operator

Telephone

Fax e-Mail

See our luminaire catalog for an image of the luminaire.



Luminaire classification according to CIE: 100
CIE flux code: 48 80 96 100 100

Due to missing symmetry properties, no UGR table can be displayed for this luminaire.

Operator

Telephone

Fax e-Mail

UFO 150W light / Floor plan



Scale 1 : 393


Operator

Telephone

Fax e-Mail

)

UFO 150W light / Luminaires (layout plan



Scale 1 : 393

Luminaire Parts List

No.	Pieces	Designation
1	63	RG-HB05-150WMACGD1-50K

Operator

Telephone


Fax e-Mail

)

UFO 150W light / Luminaires (coordinates list

RG-HB05-150WMACGD1-50K

21270 lm, 159.8 W, 1 x 1 x User defined (Correction Factor 1.000).



No.	Position [ft]			Rotation [°]		
	X	Y	Z	X	Y	Z
1	12.000	8.000	26.000	0.0	0.0	0.0
2	12.000	24.000	26.000	0.0	0.0	0.0
3	12.000	40.000	26.000	0.0	0.0	0.0
4	12.000	56.000	26.000	0.0	0.0	0.0
5	12.000	72.000	26.000	0.0	0.0	0.0
6	12.000	88.000	26.000	0.0	0.0	0.0
7	12.000	104.000	26.000	0.0	0.0	0.0
8	32.000	8.000	26.000	0.0	0.0	0.0
9	32.000	24.000	26.000	0.0	0.0	0.0
10	32.000	40.000	26.000	0.0	0.0	0.0
11	32.000	56.000	26.000	0.0	0.0	0.0
12	32.000	72.000	26.000	0.0	0.0	0.0
13	32.000	88.000	26.000	0.0	0.0	0.0
14	32.000	104.000	26.000	0.0	0.0	0.0
15	52.000	8.000	26.000	0.0	0.0	0.0
16	52.000	24.000	26.000	0.0	0.0	0.0
17	52.000	40.000	26.000	0.0	0.0	0.0
18	52.000	56.000	26.000	0.0	0.0	0.0
19	52.000	72.000	26.000	0.0	0.0	0.0
20	52.000	88.000	26.000	0.0	0.0	0.0
21	52.000	104.000	26.000	0.0	0.0	0.0
22	72.000	8.000	26.000	0.0	0.0	0.0
23	72.000	24.000	26.000	0.0	0.0	0.0
24	72.000	40.000	26.000	0.0	0.0	0.0
25	72.000	56.000	26.000	0.0	0.0	0.0
26	72.000	72.000	26.000	0.0	0.0	0.0

Operator

Telephone

Fax e-Mail

)

27	72.000	88.000	26.000	0.0	0.0	0.0
28	72.000	104.000	26.000	0.0	0.0	0.0

UFO 150W light / Luminaires (coordinates list

No.	Position [ft]			Rotation [°]		
	X	Y	Z	X	Y	Z
29	92.000	8.000	26.000	0.0	0.0	0.0
30	92.000	24.000	26.000	0.0	0.0	0.0
31	92.000	40.000	26.000	0.0	0.0	0.0
32	92.000	56.000	26.000	0.0	0.0	0.0
33	92.000	72.000	26.000	0.0	0.0	0.0
34	92.000	88.000	26.000	0.0	0.0	0.0
35	92.000	104.000	26.000	0.0	0.0	0.0
36	112.000	8.000	26.000	0.0	0.0	0.0
37	112.000	24.000	26.000	0.0	0.0	0.0
38	112.000	40.000	26.000	0.0	0.0	0.0
39	112.000	56.000	26.000	0.0	0.0	0.0
40	112.000	72.000	26.000	0.0	0.0	0.0
41	112.000	88.000	26.000	0.0	0.0	0.0
42	112.000	104.000	26.000	0.0	0.0	0.0
43	132.000	8.000	26.000	0.0	0.0	0.0
44	132.000	24.000	26.000	0.0	0.0	0.0
45	132.000	40.000	26.000	0.0	0.0	0.0
46	132.000	56.000	26.000	0.0	0.0	0.0
47	132.000	72.000	26.000	0.0	0.0	0.0
48	132.000	88.000	26.000	0.0	0.0	0.0
49	132.000	104.000	26.000	0.0	0.0	0.0
50	152.000	8.000	26.000	0.0	0.0	0.0
51	152.000	24.000	26.000	0.0	0.0	0.0
52	152.000	40.000	26.000	0.0	0.0	0.0
53	152.000	56.000	26.000	0.0	0.0	0.0
54	152.000	72.000	26.000	0.0	0.0	0.0
55	152.000	88.000	26.000	0.0	0.0	0.0
56	152.000	104.000	26.000	0.0	0.0	0.0
57	172.000	8.000	26.000	0.0	0.0	0.0
58	172.000	24.000	26.000	0.0	0.0	0.0
59	172.000	40.000	26.000	0.0	0.0	0.0
60	172.000	56.000	26.000	0.0	0.0	0.0
61	172.000	72.000	26.000	0.0	0.0	0.0
62	172.000	88.000	26.000	0.0	0.0	0.0
63	172.000	104.000	26.000	0.0	0.0	0.0


Operator

Telephone

Fax e-Mail

Isolines (E)

UFO 150W light / 3D Rendering





Operator

Telephone

Fax e-Mail

Isolines (E)

UFO 150W light / False Color Rendering



E_{av} [fc]	E_{min} [fc]	E_{max} [fc]	$u0$	E_{min} / E_{max}
77	47	87	0.617	0.544


Operator

Telephone

Fax e-Mail

Isolines (E)

UFO 150W light / Floor /



Values in Footcandles,
Marked point:
(0.000 ft, 0.000 ft, 0.000 ft)



Scale 1 : 393 Position of surface in room:



Grid: 128 x 128 Points


Operator

Telephone

Fax e-Mail

Isolines (E)

UFO 150W light / Ceiling /



Values in Footcandles,
 Marked point:
 (180.000 ft, 0.000 ft, 30.000 ft)


Scale 1 : 393 Position of surface in room:



Grid: 64 x 64 Points

Eav [fc]	Emin [fc]	Emax [fc]	u0	Emin / Emax
48	31	54	0.643	0.570

UFO 150W light / Wall 1 /



Operator

Telephone

Fax e-Mail

Isolines (E)



Values in Footcandles, Scale 1 : 393

Position of surface in room:


Marked point:

(180.000 ft, 0.000 ft, 0.000 ft)

Grid: 128 x 64 Points

E_{av} [fc]	E_{min} [fc]	E_{max} [fc]	u_0	E_{min} / E_{max}
55	32	74	0.580	0.431

UFO 150W light / Wall 2 /



Values in Footcandles,

Marked point:

(180.000 ft, 108.000 ft, 0.000 ft)



Scale 1 : 236 Position of surface in room:

Grid: 128 x 64 Points

E_{av} [fc]	E_{min} [fc]	E_{max} [fc]	u_0	E_{min} / E_{max}
57	33	77	0.571	0.425



Operator

Telephone

Fax e-Mail

Isolines (E)

UFO 150W light / Wall 3 /



Values in Footcandles, Scale 1 : 393

Position of surface in room:
 Marked point:
 (0.000 ft, 108.000 ft, 0.000 ft)



Grid: 128 x 64 Points

E_{av} [fc]	E_{min} [fc]	E_{max} [fc]	u_0	E_{min} / E_{max}
62	32	155	0.523	0.209


Operator

Telephone

Fax e-Mail

Isolines (E)

UFO 150W light / Wall 4 /



Values in Footcandles,
Marked point:
(0.000 ft, 0.000 ft, 0.000 ft)

Scale 1 : 236 Position of surface in room:



Grid: 128 x 64 Points

E_{av} [fc]
55

E_{min} [fc]
32

E_{max} [fc]
67

u_0
0.574

E_{min} / E_{max}
0.474

