






|     |               |
|-----|---------------|
| 12  | L20001083-2-A |
| QTY | QUOTATION #   |

Notes:


- Material:  
 Pole shaft: ASTM A572 GR65  
 Baseplate: ASTM A572 GR50 or Q355  
 Anchor bolt: M1.25" \_F1554-55
- Design wind speed: 115mph Vult
- Pole is round
- Finished: Galvanizing per ASTM A123



|                                                                                     |      |                      |  |                                                           |       |                     |  |
|-------------------------------------------------------------------------------------|------|----------------------|--|-----------------------------------------------------------|-------|---------------------|--|
|  |      |                      |  | <b>RuggedGrade</b><br>www.ruggedgrade.com<br>888-953-2476 |       |                     |  |
| CLIENT                                                                              |      |                      |  | 60ft-L12-FP                                               |       |                     |  |
| TITLE                                                                               |      |                      |  |                                                           |       |                     |  |
| DRAWN                                                                               |      | MWY 2026/1/12        |  | MATERIAL                                                  |       | MANUFACTURING ORDER |  |
| ENGR                                                                                |      | MWY 2026/1/12        |  | THK(mm)                                                   |       |                     |  |
| CHECKED                                                                             |      | WZL 2026/1/12        |  | WT(kg)                                                    |       | VERSION: A          |  |
| REV ID                                                                              | DATE | REVISION DESCRIPTION |  | SPECIFICATIONS                                            | SCALE |                     |  |




|             |      |
|-------------|------|
| L20001083   | 12   |
| QUOTATION # | QTY: |



**NOTES:**

- (1) MAKE SURE THE TEMPLATE IS HORIZONTAL BEFORE POLE INSTALLATION
- (2) REMOVE THE TOP TEMPLATE AND LET THE BASE PLATE SIT ON THE NUTS DIRECTLY WHILE INSTALLING POLE
- (3) ALL THE ANCHOR BOLTS AND TEMPLATE ARE GALVANIZED
- (4) ANCHOR BOLT TO BE PROVIDED UNASSEMBLED AND INSTALLED ON-SITE.
- (5) MATERIAL:  
ANCHOR BOLT: F1554-07a M33[1.3\"]



TEMPLATE DETAIL

|                                                                                       |     |                                                           |                      |
|---------------------------------------------------------------------------------------|-----|-----------------------------------------------------------|----------------------|
|  |     | <b>RuggedGrade</b><br>www.ruggedgrade.com<br>888-953-2476 |                      |
| CLIENT                                                                                |     | LED Light Expert                                          |                      |
| TITLE                                                                                 |     | Anchor Bolt cage for 60ft-L8-L12-FP 115mph Vult           |                      |
| DRAWN                                                                                 | YWJ | 2026/7/22                                                 | MATERIAL             |
| ENGR                                                                                  | MWY | 2026/7/22                                                 | THK (mm)             |
| CHECKED                                                                               | MWY | 2026/7/22                                                 | WT (kg)              |
| REV                                                                                   | ID  | DATE                                                      | REVISION DESCRIPTION |
| SPECIFICATIONS                                                                        |     | SCALE                                                     | P/N                  |